

[This question paper contains 4 printed pages.]

12

Your Roll No. 2022

Sr. No. of Question Paper : 515

B

Unique Paper Code : 62351201

Name of the Paper : Algebra

Name of the Course : B.A. (Prog.)

Semester : II

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt any two parts from each question.
3. All questions carry equal marks.

Deshbandhu College Ltd.
Kalkaji, New Delhi-19

1. (a) Define subspace of a vector space. Show that the set $W = \{(a_1, a_2, a_3) : a_1 - 2a_2 + a_3 = 0; a_1, a_2, a_3 \in \mathbb{R}\}$ is a subspace of the vector space $\mathbb{R}^3(\mathbb{R})$.

(b) Express the vector $v = (4, 5)$ as a linear combination of the vectors $v_1 = (2, 1)$, $v_2 = (1, 2)$. Is the set $S = \{v, v_1, v_2\}$ linearly dependent or linearly independent?

P.T.O.

(c) Define basis and dimension of a vector space. Do the vectors $\{(1, -1, 2), (-1, 2, -4), (-1, -1, 2)\}$ in \mathbb{R}^3 form a basis of $V = \mathbb{R}^3(\mathbb{R})$. What is $\dim(V)$?

2. (a) Find the rank of the following matrix

$$\begin{bmatrix} 1 & 1 & 0 & -2 \\ 2 & 0 & 2 & 2 \\ 4 & 1 & 3 & 1 \end{bmatrix}.$$

(b) Solve the following system of equations :

$$x + y + z = 2$$

$$x + 2y + 3z = 5$$

$$x + 3y + 6z = 11$$

(c) Show that the following matrix satisfies its characteristic equation :

$$\begin{bmatrix} 0 & 1 & 2 \\ 1 & 2 & 3 \\ 3 & 1 & 1 \end{bmatrix}$$

3. (a) If $\cos\theta + 2\cos\phi + 3\cos\psi = \sin\theta + 2\sin\phi + 3\sin\psi = 0$, Prove that

$$\cos 3\theta + 8 \cos 3\phi + 27 \cos 3\psi = 18 \cos(\theta + \phi + \psi),$$

$$\text{and } \sin 3\theta + 8 \sin 3\phi + 27 \sin 3\psi = 18 \sin(\theta + \phi + \psi).$$

(b) Prove that

$$64 \cos^7\theta = \cos 7\theta + 7 \cos 5\theta + 21 \cos 3\theta + 35 \cos \theta.$$

(c) Solve the equation

$$z^5 + z^4 + z^3 + z^2 + z + 1 = 0.$$

4. (a) Find the sum of the cubes of the roots of the equation $x^3 - 6x^2 + 11x - 6 = 0$.

(b) Solve the equation

$$3x^4 - 25x^3 + 50x^2 - 50x + 12 = 0,$$

such that the product of two of the roots being 2.

(c) Solve the equation $x^3 - 9x^2 + 23x - 15 = 0$, being given that the roots are in A.P.

5. (a) If G is the set of all non-zero rational numbers

with binary operation $*$ defined by $a * b = \frac{ab}{3}$,

$a, b \in G$. Then prove that $(G, *)$ is an Abelian group.

(b) Let $G = \left\{ \begin{bmatrix} a & a \\ a & a \end{bmatrix} : a \in \mathbb{R}, a \neq 0 \right\}$. Show that G is a group under matrix multiplication.

(c) If $\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 4 & 5 & 1 & 3 \end{pmatrix}$ and $\rho = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 1 & 4 & 3 & 5 \end{pmatrix}$

are two permutations, Compute the values of $\sigma^{-1}\rho\sigma$ and $\rho^2\sigma$.

6. (a) Prove that the set of all matrices of the form

$\left\{ \begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix} : a, b \in \mathbb{Z} \right\}$ is a subring of the ring of all 2×2 matrices over \mathbb{Z} .

(b) If A & B are subrings of a ring R . Then $A \cap B$ is also a subring of ring R .

(c) Prove that the set $S = \left\{ g \in C[0,1] : g\left(\frac{1}{2}\right) = 0 \right\}$ is a subring of $C[0,1]$.

Deshbandhu College Library
Barkaii, New Delhi-19

[This question paper contains 4 printed pages.]

13

Your Roll No. 2022

Sr. No. of Question Paper : 915

B

Unique Paper Code : 62351201

Name of the Paper : Algebra

Name of the Course : B.A. (Prog.)

Semester : II

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt any two parts from each question.
3. All questions carry equal marks.

Deshbandhu College Library
Kalkaji, New Delhi-110019

1. (a) Show that the vectors $\{(1,2,1), (2,1,0), (1,-1,2)\}$ form a basis of $\mathbb{R}^3(\mathbb{R})$.

(b) Prove that the set $S = \left\{ \begin{bmatrix} x & 0 \\ 0 & 0 \end{bmatrix} : x \in \mathbb{R} \right\}$ is a vector

space over the field \mathbb{R} w.r.t. usual matrix addition and multiplication of a matrix by a scalar.

P.T.O.

(c) Define subspace of a vector space. Show that the set $W = \{(a_1, a_2, a_3) : a_3 = 3a_1; a_1, a_2, a_3 \in \mathbb{R}\}$ is a subspace of the vector space $\mathbb{R}^3(\mathbb{R})$.

2. (a) Find the inverse of the following matrix :

$$\begin{bmatrix} 2 & -1 & 1 \\ -1 & 2 & -1 \\ 1 & -1 & 2 \end{bmatrix}$$

(b) Find the rank of the following matrix by reducing it to its normal form:

$$\begin{bmatrix} 1 & 3 & 6 & -1 \\ 1 & 4 & 5 & 1 \\ 1 & 5 & 4 & 3 \end{bmatrix}$$

(c) For what value of λ , the following system of equations has a unique solution and then find the solution :

$$\lambda x + 2y - 2z = 1$$

$$4x + 2\lambda y - z = 2$$

$$6x + 6y + \lambda z = 3$$

3. (a) If $\cos \theta + \cos \varphi + \cos \psi = \sin \theta + \sin \varphi + \sin \psi = 0$,
Prove that $\cos 3\theta + \cos 3\varphi + \cos 3\psi = 3 \cos(\theta + \varphi + \psi)$, and $\sin 3\theta + \sin 3\varphi + \sin 3\psi = 3 \sin(\theta + \varphi + \psi)$.

(b) Prove that

$$\cos 5\theta = \cos^5 \theta - 10 \cos^3 \theta \sin^2 \theta + 5 \cos \theta \sin^4 \theta.$$

(c) Solve the equation

$$z^7 - z = 0.$$

4. (a) Find the sum of the cubes of the roots of the equation $x^3 - 6x^2 + 11x - 6 = 0$.

(b) If α, β, γ be the roots of the equation $x^3 - px^2 + qx - r = 0$, find the value of

(i) $\Sigma(\beta + \gamma)(\gamma + \alpha)(\alpha + \beta)$

(ii) $\Sigma \alpha/\beta$.

(c) Solve the equation $x^3 - 5x^2 - 16x + 80 = 0$, the sum of two of its roots being zero.

5. (a) Find the order of the permutation

$$\begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 7 & 6 & 1 & 2 & 3 & 4 & 5 \end{pmatrix}.$$

- (b) Let $G = \{x \in \mathbb{R} : x > 1\}$ be the set of all real numbers greater than 1. For $x, y \in G$, define $x * y = xy - x - y + 2$. Show that G forms a group under the defined operation $*$.
- (c) Give an example of a non-commutative ring with 16 elements.
6. (a) Find the inverse of $\begin{bmatrix} 2 & 6 \\ 3 & 5 \end{bmatrix}$ in the group $GL_2(\mathbb{Z}_{11})$.
- (b) Let R be a ring of all continuous functions on the interval $[0,1]$ and $S = \left\{ f \in R : f(x) = 0 \forall \frac{1}{2} < x \leq \frac{3}{4} \right\}$.
Prove or disprove that S is a subring of R .
- (c) If D_n denotes a Dihedral group of order $2n$, then list all the elements of order 2 in the Dihedral group D_4 .

Deshbandhu College Library
Kalkaji, New Delhi-19